

ORBEA



ORCA AERO MIOTEAM-D.

ESTÁ EN ESTOS COLORES:



NEGRO (MATE-BRILLO)



PLATA-BRIGHT RED (BRILLO) /
/CARBONO (MATE)



AZUL SESATION (MATE) /
NEGRO (BRILLO)

ESPECIFICACIONES Y OPCIONES

CUADRO	Orbea Orca Aero carbon OMR disc, monocoque construction, tapered 1-1/8" - 1,5", BB 386, powermeter compatible, Thru Axle 12mm x 142mm rear, thread M12x P1.5, internal cable routing, EC/DC compatible.
HORQUILLA	Orca Aero carbon OMR disc fork, full carbon steerer, tapered 1-1/8" - 1,5", carbon dropouts Thru axle 12mm x 100mm, thread M12xP1.5
PLATO	Shimano Dura-Ace 9100 34x50t
	Shimano Dura-Ace 9100 39x53t
	FSA Powerbox Alloy 34x50t
	FSA Powerbox Alloy 36x52t
	FSA Powerbox Carbon 34x50t
	FSA Powerbox Carbon 36x52t
DIRECCION	FSA 1-1/8 - 1-1/2" Integrated Carbon Cup ACB Bearings
MANILLAR	Vision Metron 5D Compact
	OC2 Road Kit (Bar+Stem)
	OC2 Road Carbon + OC2 Road Kit (Bar+Stem)
POTENCIA	FSA Metron 5D Compact Hanlebar integrated
MANETAS	Shimano R9170
FRENO	Shimano R9170 Hydraulic Disc
PIÑON	Shimano Dura-Ace 9100 11-28t 11-Speed
	Shimano Dura-Ace 9100 11-25t 11-Speed
	Shimano Dura-Ace 9100 11-30t 11-Speed
CAMBIO	Shimano Dura-Ace 9150 Di2
DESVIADOR	Shimano Dura-Ace 9150 Di2
CADENA	Shimano HG 901
RUEDA	DT Swiss ARC 1400 Dicut DB 48 Carbon CL TL
	Vision 40 SC Disc Carbon TLR CL
	Mavic Ksyrium Pro Carbon DB CL/UST + Yksion PRO 25C
CUBIERTA	Hutchinson Fusion 5 All Season TLR 700x28
PEDALES	N/A
TIJA SILLIN	Orbea Aero OMR
SILLIN	Prologo Dimension T4.0 size143 mm
	Selle Italia SLR Kit Carbonio Black
CINTA MANILLAR	Orbea Anti-Slippery/Shock Proof
EJE RUEDA DELANTERO	Orbea Road 12x100mm, thread M12xP1.5
EJE RUEDA TRASERO	Orbea Road 12x142mm, thread M12xP1.5


GEOMETRÍA

TALLA	47	49	51	53	55	57	60
1 - SEAT_TUBE	450	465	490	515	535	555	580
2 - TOP_TUBE	509	521	534	547	559	575	588
3 - HEAD_TUBE	100	108	124	144	163	181	208
4 - CHAIN_STAY	408						
5 - BB_HEIGHT	269,5	269,5	269,5	271,5	271,5	271,5	271,5
6 - BB_DROP	72	72	72	70	70	70	70
7 - WHEELBASE	970	974	978	980	991	1000	1014
8 - HEAD_ANGLE	71°	71.5°	72.2°	72.8°	73°	73.2°	73.2°
9 - SEAT_ANGLE	74.5°	74°	73.7°	73.5°	73.5°	73.2°	73.2°
10 - STANDOVER	728,9	742,5	763,2	782,1	806	824,2	848,6
11 - REACH	370	375	380	385	391	398	404
12 - STACK	501	510	528	548	567	585	611
13 - FORK_LENGTH	370						
14 - OFFSET	48	48	48	43	43	43	43
15 - WHEEL_SIZE	683						

ERGONOMÍA

TALLA	BIELA	POTENCIA	MANILLAR
47	170	90	400
49	170	100	400
51	170	100	420
53	170	110	420
55	172	110	420
57	172	110	440
60	175	120	440

* La medida del manillar es centro-centro



--
