

ORBEA



WILD FS M-LTD.

ESTÁ EN ESTOS COLORES:



ANTRACITA GLITTER (BRILLO) - NEGRO (MATE)



NARANJA (BRILLO) - NEGRO (MATE)

ESPECIFICACIONES Y OPCIONES

| | |
|---------------------|---|
| CUADRO | ORBEA WILD Full Suspension 2020 Carbon 160mm Travel, FRONT TRIANGLE: Carbon, REAR TRIANGLE: Carbon, FiberLink, BATTERY COVER: Carbon, Boost 12x148 Bosch Gen4 |
| AMORTIGUADOR | Fox DHX2 Factory Trunnion 2-Position Adjust SLS Spring TiN 205x65mm |
| | Fox Float X2 Factory 2-Position Adjust Kashima 205x65mm |
| | Fox DHX2 Factory Trunnion 2-Pos Adj SLS TiN 205x65mm 475 lbs |
| | Fox DHX2 Factory Trunnion 2-Pos Adj SLS TiN 205x65mm 550 lbs |
| | Fox DHX2 Factory Trunnion 2-Pos Adj SLS TiN 205x65mm 650 lbs |
| HORQUILLA | Fox 36 Float Factory 160 Grip2 QR15x110 Kashima E-Bike Optimized |
| PLATO | PW-NW32-G4 |
| BIELA | Etherteen Race Carbon 160mm |
| DIRECCION | OC Key Holder |
| MANILLAR | Race Face Next R 35 20mm Rise 800mm |
| POTENCIA | Race Face Aeffect R 35mm interface |
| MANETAS | Shimano XTR M9100 |
| FRENO | Shimano XTR M9120Hydraulic Disc |
| PIÑON | Shimano XTR M9100 10-51t 12-Speed |
| CAMBIO | Shimano XTR M9100 SGS Shadow Plus |
| CADENA | KMC e12 Turbo Silver |
| RUEDA | DT Swiss HX-1501 Spline 30c TLR 15/110mm CL |
| CUBIERTA | Maxxis Minion DHF 2.60" 120 TPI FB 3C Maxx Terra Exo+ TR |
| | Maxxis Assegai 2.60" 120 TPI FB 3C Maxx Grip DD TR |
| CUBIERTA | Maxxis Minion DHR II 2.60" 120 TPI FB 3C Maxx Terra Exo+ TR |
| | Maxxis Assegai 2.60" 120 TPI FB 3C Maxx Grip DD TR |
| PEDALES | N/A |
| TIJA SILLIN | OC2 Dropper 31.6mm |
| | OC2 Dropper 31.6 125mm travel |
| | OC2 Dropper 31.6 150mm travel |
| | OC2 Dropper 31.6 170mm travel |
| SILLIN | Fizik Taiga S-alloy rail |
| CANDADO | Abus battery powertube lock PLUS |


GEOMETRÍA

| TALLA | SM | LG | XL |
|-------------------------|------|-------|------|
| 1 - SEAT_TUBE | 406 | 444 | 483 |
| 2 - TOP_TUBE | 585 | 612 | 645 |
| 3 - HEAD_TUBE | 100 | 110 | 125 |
| 4 - CHAIN_STAY | | 455 | |
| 5 - BB_HEIGHT | | 345 | |
| 6 - BB_DROP | | 30 | |
| 7 - WHEELBASE | 1203 | 1232 | 1268 |
| 8 - HEAD_ANGLE | | 65,5º | |
| 9 - SEAT_ANGLE | | 76º | |
| 10 - STANDOVER | 725 | 740 | 765 |
| 11 - REACH | 430 | 455 | 485 |
| 12 - STACK | 621 | 630 | 644 |
| 13 - FORK_LENGTH | | 570 | |
| 14 - OFFSET | | 44 | |

ERGONOMÍA

| TALLA | BIELA | POTENCIA | MANILLAR |
|-------|-------|----------|----------|
| S/M | 160 | 40 | 800 |
| LG | 160 | 50 | 800 |
| XL | 160 | 50 | 800 |

* La medida del manillar es centro-centro



| | |
|---------------------|--|
| GUIACADENA | Etherteen Plus Bosch BDU4 32-38t |
| MOTOR | BOSCH Performance CX Cruise (25km/h) BDU450CX |
| BATERÍA | BOSCH Powertube 625Wh Horizontal BBP290 |
| DUAL BATTERY | |
| | Dual Battery conection (no battery) |
| DISPLAY | BOSCH Display unit KIOX Black BUI330 |
| CARGADOR | Compact Charger 2A (100-240V) Worldwide |
| | Fast Charger 6A (220-240V) |
| -- | |